



Printing date 14.01.2022 Version number 10 Revision: 14.01.2022

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

Trade name BRAWO-HT - Komponente B

· 1.2 Relevant identified uses of the substance or mixture

and uses advised against No further

No further relevant information available.

· Application of the substance

/ the mixture Epoxy sealing

Hardening agent/ Curing agent

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier: BRAWO SYSTEMS GmbH

Blechhammerweg 13-17 67659 Kaiserslautern Deutschland/Germany

Tel: +49(0)631-205 61 100

Informing department: Technische Abteilung

msds@brawoliner.de

· 1.4 Emergency telephone

**number:** +49 (0) 61 31 - 19 240 (Giftnotruf Mainz)

#### **SECTION 2: Hazards identification**

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Acute Tox. 4 H302 Harmful if swallowed.

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.
Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

· 2.2 Label elements

Labelling according to

Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP

regulation.

· Hazard pictograms



GHS05 GHS07

· Signal word Danger

· Hazard-determining

**components of labelling:** 3-aminomethyl-3,5,5-trimethylcyclohexylamine

4,4'-methylenebis(cyclohexylamine)

polymer amine terminated

2,4,6-tris(dimethylaminomethyl)phenol 2,4,6-Tris-(1-Phenyl-Ethyl) carbolic acid

· **Hazard statements** H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

(Contd. on page 2)





Version number 10 Revision: 14.01.2022 Printing date 14.01.2022

#### Trade name BRAWO-HT - Komponente B

(Contd. of page 1)

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

If medical advice is needed, have product · Precautionary statements P101

container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P260 Do not breathe dusts or mists.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all

contaminated clothing. Rinse skin with water [or

shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for

several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label). P362+P364

Take off contaminated clothing and wash it

before reuse.

Dispose of contents/container in accordance

with local/regional/national/international

regulations.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· PBT: Not applicable. · vPvB: Not applicable.

#### SECTION 3: Composition/information on ingredients

P501

· 3.2 Chemical characterisation: Mixtures

· Description: Mixture consisting of the following components.

Dangerous components		
CAS: 2855-13-2 EINECS: 220-666-8	3-aminomethyl-3,5,5-trimethylcyclohexylamine Skin Corr. 1B, H314; Eye Dam. 1, H318; Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Sens. 1, H317; Aquatic Chronic 3, H412	25-50%
	polymer amine terminated Eye Dam. 1, H318; Skin Irrit. 2, H315; Skin Sens. 1B, H317	≥10-<25%
CAS: 1761-71-3 EINECS: 217-168-8	4,4'-methylenebis(cyclohexylamine) Skin Corr. 1B, H314; Aquatic Chronic 2, H411; Acute Tox. 4, H302	≥5-<25%
CAS: 90-72-2 EINECS: 202-013-9 Reg.nr.: 2119560597-27	2,4,6-tris(dimethylaminomethyl)phenol Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319	<10%
CAS: 100-51-6 EINECS: 202-859-9	Benzyl alcohol Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332	<5%
CAS: 61788-44-1 EINECS: 262-975-0	2,4,6-Tris-(1-Phenyl-Ethyl) carbolic acid Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Skin Sens. 1, H317	≥1-<2.5%
CAS: 69-72-7 EINECS: 200-712-3	salicylic acid Repr. 2, H361d; Eye Dam. 1, H318; Acute Tox. 4, H302	<1%





Printing date 14.01.2022 Version number 10 Revision: 14.01.2022

Trade name BRAWO-HT - Komponente B

(Contd. of page 2)

• Additional information For the wording of the listed hazard phrases refer to section 16.

#### **SECTION 4: First aid measures**

· 4.1 Description of first aid measures

• General information Instantly remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the

accident.

After inhalation Supply fresh air and call for doctor for safety reasons.

In case of unconsciousness bring patient into stable side position

for transport.

· After skin contact Instantly wash with water and soap and rinse thoroughly.

• After eye contact Call a doctor immediately.
• After swallowing Instantly call for doctor.

Drink copious amounts of water and provide fresh air. Instantly call

for doctor.

 4.2 Most important symptoms and effects, both acute and

delayed No further relevant information available.

· 4.3 Indication of any

immediate medical attention

and special treatment needed No further relevant information available.

#### SECTION 5: Firefighting measures

5.1 Extinguishing media

· Suitable extinguishing agents Use fire fighting measures that suit the environment.

 5.2 Special hazards arising from the substance or

mixture No further relevant information available.

· 5.3 Advice for firefighters

• **Protective equipment:** No special measures required.

#### SECTION 6: Accidental release measures

 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:

Inform respective authorities in case product reaches water or

sewage system.

· 6.3 Methods and material for

containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders,

universal binders, sawdust).

Use neutralising agent.

Dispose of contaminated material as waste according to item 13.

Ensure adequate ventilation.

· 6.4 Reference to other

sections See Section 7 for information on safe handling

(Contd. on page 4)





Printing date 14.01.2022 Version number 10 Revision: 14.01.2022

Trade name BRAWO-HT - Komponente B

(Contd. of page 3)

See Section 8 for information on personal protection equipment. See Section 13 for information on disposal.

#### **SECTION 7: Handling and storage**

· 7.1 Precautions for safe

handling Store in cool, dry place in tightly closed containers.

Open and handle container with care.

· Information about protection

against explosions and fires: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

Storage

· Requirements to be met by

storerooms and containers: No special requirements.

· Information about storage in

one common storage facility: Not required.

· Further information about

storage conditions: Keep container tightly sealed.

· 7.3 Specific end use(s) No further relevant information available.

#### SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Additional information about

design of technical systems: No further data; see item 7.

Components with critical

values that require

monitoring at the workplace: The product does not contain any relevant quantities of materials

with critical values that have to be monitored at the workplace.

DNELs		
2855-13-2 3-aminomethyl-3,5,5-trimethylcyclohexylamine		
Oral		0.526 mg/kg bw/Tag (ArL)
Inhalative	DNEL	20.1 mg/m³ (ArL)
1761-71-3 4,4'-methylenebis(cyclohexylamine)		
Oral	DNEL	0.06 mg/kg bw/Tag (ArL)
Dermal	DNEL	0.1 mg/kg bw/day (ArL)
Inhalative	DNEL	1 mg/m³ (ArL)
90-72-2 2,4,6-tris(dimethylaminomethyl)phenol		
Inhalative	DNEL	0.31 mg/m³ (ArL)
100-51-6 Benzyl alcohol		
Oral	DNEL	4 mg/kg bw/Tag (ArL)
		20 mg/kg bw/Tag (Ark)
Dermal	DNEL	8 mg/kg bw/day (ArL)
		40 mg/kg bw/day (Ark)
Inhalative	DNEL	22 mg/m³ (ArL)
		110 mg/m³ (Ark)

(Contd. on page 5)





Printing date 14.01.2022 Version number 10 Revision: 14.01.2022

#### Trade name BRAWO-HT - Komponente B

	(Contd. of pag
PNEC	5
2855-1	3-2 3-aminomethyl-3,5,5-trimethylcyclohexylamine
PNEC	0.006 mg/l (Mew)
	0.06 mg/l (Suw)
PNEC	0.578 mg/kg dwt (Sediment)
	5.784 mg/kg dwt (Fresh water sediment)
1761-7	1-3 4,4'-methylenebis(cyclohexylamine)
PNEC	0.08 mg/l (Fresh water)
	3.2 mg/l (Kla)
	13.7 mg/l (Mew)
PNEC	27.2 mg/kg dwt (Bod)
	13.7 mg/kg dwt (Sediment)
	137 mg/kg dwt (Fresh water sediment)
90-72-	2 2,4,6-tris(dimethylaminomethyl)phenol
PNEC	0.2 mg/l (Sewage Treatment Plant)
	0.0084 mg/l (Mew)
	0.084 mg/l (Suw)
100-51	-6 Benzyl alcohol
PNEC	0.527 mg/l (Marine water sediment)
	0.1 mg/l (Mew)
	1 mg/l (Fresh water sediment)
PNEC	0.456 mg/kg dwt (Bod)
	5.27 mg/kg dwt (Fresh water sediment)
A -1-1:4:	onal information: The lists that were valid during the compilation were used as ha

· Additional information:

The lists that were valid during the compilation were used as basis.

· 8.2 Exposure controls

· Personal protective equipment

· General protective and

**hygienic measures** Keep away from foodstuffs, beverages and food.

Instantly remove any soiled and impregnated garments. Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

· Protection of hands: Protective gloves.

Selection of the glove material on consideration of the penetration

times, rates of diffusion and the degradation

After use of gloves apply skin-cleaning agents and skin cosmetics. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the

application.

Penetration time of glove

Material of gloves

material

The exact break trough time has to be found out by the

manufacturer of the protective gloves and has to be observed.

• Eye protection: Safety glasses

Tightly sealed safety glasses.

(Contd. on page 6)





Printing date 14.01.2022 Version number 10 Revision: 14.01.2022

Not applicable.

Trade name BRAWO-HT - Komponente B

· Body protection: Protective work clothing.

(Contd. of page 5)

### **SECTION 9: Physical and chemical properties**

· 9.1 Information on basic physical and chemical properties

· General Information

· Appearance:

· pH-value:

Form: Fluid Colour: Colourless Amine-like

Change in condition

Melting point/freezing point: Not determined

Initial boiling point and boiling range: 247 °C

· Flash point: 117 °C

· Self-inflammability: Product is not selfigniting.

• Explosive properties: Product is not explosive.

· Steam pressure at 20 °C: 0.1 hPa

Density at 20 °C 0.98 g/cm<sup>3</sup>

· Solubility in / Miscibility with

Water: Not miscible or difficult to mix

• 9.2 Other information No further relevant information available.

#### SECTION 10: Stability and reactivity

• 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

· Thermal decomposition /

conditions to be avoided: No decomposition if used according to specifications.

· 10.3 Possibility of hazardous

reactions No dangerous reactions known

10.4 Conditions to avoid
 10.5 Incompatible materials:
 No further relevant information available.

· 10.6 Hazardous

decomposition products: No dangerous decomposition products known

#### SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

· Acute toxicity Harmful if swallowed.

· LD/LC50 values that are relevant for classification:

2855-13-2 3-aminomethyl-3,5,5-trimethylcyclohexylamine

Oral LD50 1030 mg/kg (rat)

(Contd. on page 7)





Printing date 14.01.2022 Version number 10 Revision: 14.01.2022

#### Trade name BRAWO-HT - Komponente B

		(Contd. of page 6	
	NOAEL	250 mg/kg (rat)	
Dermal	LD50	1840 mg/kg (rabbit)	
		>2000 mg/kg (rat)	
1761-71-3	4,4'-methylenebis(cyc	lohexylamine)	
Oral	LD50	380 mg/kg (rat)	
Dermal	LD50	2110 mg/kg (rat)	
90-72-2 2,	90-72-2 2,4,6-tris(dimethylaminomethyl)phenol		
Oral	LD50	2169 mg/kg (rat)	
	NOAEL	15 mg/kg (rat)	
100-51-6 Benzyl alcohol			
Oral	LD50	1230 mg/kg (rat)	
	NOAEL 2nd year study	200 mg/kg (mouse)	
		200 mg/kg (rat)	
Dermal	LD50	2000 mg/kg (rabbit)	
Inhalative	LC50/4 h	>4178 mg/l (rat)	
69-72-7 salicylic acid			
Oral	LD50	891 mg/kg (rat)	
Dermal	LD50	>2000 mg/kg (rat)	
	l .	I .	

· Primary irritant effect:

· Skin corrosion/irritation Causes severe skin burns and eye damage.

· Serious eye damage/irritation Causes serious eye damage.

· Respiratory or skin

sensitisation May cause an allergic skin reaction.

· Additional toxicological information:

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Germ cell mutagenicity
 Carcinogenicity
 Reproductive toxicity
 STOT-single exposure
 STOT-repeated exposure
 Aspiration hazard
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.

#### **SECTION 12: Ecological information**

#### · 12.1 Toxicity

· Aquatic to	· Aquatic toxicity:	
2855-13-2	2855-13-2 3-aminomethyl-3,5,5-trimethylcyclohexylamine	
LC50/96h	110 mg/l (Leucidus idus)	
EC50	1120 mg/l (Pseudomonas putida)	
EC50/48h	23 mg/l (Daphnia magna)	
NOEC	1.5 mg/l (Desmodesmus subspicatus)	
	3 mg/l (Daphnia magna)	
ErC50/72h	>50 mg/l (Desmodesmus subspicatus)	
	(Contd. on page 8)	

(Contd. on page 8)





Printing date 14.01.2022 Version number 10 Revision: 14.01.2022

#### Trade name BRAWO-HT - Komponente B

	(Contd. of page 7)
1761-71-3	4,4'-methylenebis(cyclohexylamine)
LC50/96h	>100 mg/l (Leucidus idus)
EC50/48h	6.84 mg/l (Daphnia magna)
NOEC	4 mg/l (Daphnia magna)
ErC50/72h	141.2 mg/l (Desmodesmus subspicatus)
90-72-2 2,4,6-tris(dimethylaminomethyl)phenol	
EC50/72h	84 mg/l (Desmodesmus subspicatus)
LC50/96h	175 mg/l (Cyp)
NOEC	2 mg/l (BEL)
	6.25 mg/l (Desmodesmus subspicatus)
100-51-6 Benzyl alcohol	
IC50/72h	700 mg/l (algae)
LC50/96h	460 mg/l (Pimephales promelas)
	10 mg/l (Lepomis macrochirus)

12.2 Persistence and

degradability No further relevant information available.

· 12.3 Bioaccumulative

potential
No further relevant information available.

12.4 Mobility in soil
No further relevant information available.

· Ecotoxical effects:

· Remark: Toxic for fish

· Additional ecological information:

• **General notes:** Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

Must not reach sewage water or drainage ditch undiluted or

unneutralised.

Danger to drinking water if even extremely small quantities leak

into soil.

· 12.5 Results of PBT and vPvB assessment · PBT: Not applicable. · vPvB: Not applicable.

• 12.6 Other adverse effects No further relevant information available.

#### SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

• Recommendation Must not be disposed of together with household garbage. Do not

allow product to reach sewage system.

Waste disposal key number: 55352

Bez.: aliphatische Amine Entsorgungshinweise: Sonderabfallverbrennung

· Uncleaned packagings:

Recommendation: Dispose of packaging according to regulations on the disposal of

packagings.

(Contd. on page 9)





Version number 10 Revision: 14.01.2022 Printing date 14.01.2022

Trade name BRAWO-HT - Komponente B

(Contd. of page 8) Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.

44 4 LIN Number	
14.1 UN-Number ADR, IMDG, IATA	UN2735
14.2 UN proper shipping name ADR, IMDG, IATA	AMINES, LIQUID, CORROSIVE, N.O.S. (4, m e t h y l e n e b i s ( c y c l o h e x y l a m i n e ISOPHORONEDIAMINE)
14.3 Transport hazard class(es)	
ADR Class Label	8 (C7) Corrosive substances. 8
IMDG, IATA Class Label	8 Corrosive substances. 8
14.4 Packing group ADR, IMDG, IATA	II .
14.5 Environmental hazards: Marine pollutant:	no No
14.6 Special precautions for user Kemler Number: EMS Number: Segregation groups Stowage Category Segregation Code	Warning: Corrosive substances. 80 F-A,S-B Alkalis A SG35 Stow "separated from" SGG1-acids
14.7 Transport in bulk according to A of Marpol and the IBC Code	nnex II Not applicable.
Transport/Additional information:	
ADR Limited quantities (LQ) Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 m Maximum net quantity per outer packaging: 500 l
Transport category Tunnel restriction code	2 E
IMDG Limited quantities (LQ)	1L





Revision: 14.01.2022 Printing date 14.01.2022 Version number 10

#### Trade name BRAWO-HT - Komponente B

(Contd. of page 9)

	(contained page of
· Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S. (4,4'-METHYLENEBIS(CYCLOHEXYLAMINE), ISOPHORONEDIAMINE), 8, II

#### **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/ legislation specific for the substance or mixture

· 15.2 Chemical safety

assessment:

No further relevant information available.

A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

H302 Harmful if swallowed. · Relevant phrases

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H361d Suspected of damaging the unborn child. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

· Department issuing data specification sheet:

Environment protection department.

· Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises

dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous

Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity - Category 4

Skin Corr. 1B: Skin corrosion/irritation - Category 1B

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

(Contd. on page 11)





Printing date 14.01.2022 Version number 10 Revision: 14.01.2022

#### Trade name BRAWO-HT - Komponente B

(Contd. of page 10)

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1B: Skin sensitisation – Category 1B

Repr. 2: Reproductive toxicity – Category 2
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic

hazard – Category 2
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

\* \* Data compared to the previous version altered.