



Printing date 14.01.2022 Version number 9 Revision: 14.01.2022

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

• Trade name BRAWO AC - Komponente B

· 1.2 Relevant identified uses of the substance or mixture

and uses advised against No further relevant information available.

· Application of the substance

/ the mixture Epoxy sealing

Hardening agent/ Curing agent

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier: BRAWO SYSTEMS GmbH

Blechhammerweg 13-17 67659 Kaiserslautern Deutschland/Germany

Tel: +49(0)631-205 61 100

Informing department: Technische Abteilung

msds@brawoliner.de

· 1.4 Emergency telephone

**number:** +49 (0) 61 31 - 19 240 (Giftnotruf Mainz)

#### SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 4 H312 Harmful in contact with skin.

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Repr. 2 H361fd Suspected of damaging fertility. Suspected of damaging the unborn

child.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

· 2.2 Label elements

Labelling according to

**Regulation (EC) No 1272/2008** The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



GHS05 GHS07 GHS08

· Signal word Danger

· Hazard-determining

components of labelling: 3-aminomethyl-3,5,5-trimethylcyclohexylamine

2-piperazin-1-ylethylamine

Amine polymer

Polyoxypropylentriamin

(Contd. on page 2)





Printing date 14.01.2022 Version number 9 Revision: 14.01.2022

#### Trade name BRAWO AC - Komponente B

•	
	(Contd. of page 1)
· Hazard statements	H302 Harmful if swallowed.
	H312 Harmful in contact with skin.
	H314 Causes severe skin burns and eye damage.
	H317 May cause an allergic skin reaction.
	H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.
	H373 May cause damage to organs through prolonged or repeated exposure.
	H412 Harmful to aquatic life with long lasting effects.
· Precautionary statements	P101 If medical advice is needed, have product container or label at hand.
	P102 Keep out of reach of children.
	P103 Read carefully and follow all instructions.
	P260 Do not breathe dusts or mists.
	P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
	P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P310 Immediately call a POISON CENTER/doctor.
	P321 Specific treatment (see on this label).
	P362+P364 Take off contaminated clothing and wash it before reuse.
	P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· Additional information: To avoid risks to human health and the environment, comply with

the instructions for use.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

### SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

• **Description:** Mixture consisting of the following components.

EINECS: 220-666-8 Skin Corr. 1B, H314; Eye Dam. 1, H318; Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Sens. 1, H317; Aquatic Chronic 3, H412  Amine polymer Eye Dam. 1, H318; Skin Irrit. 2, H315; Skin Sens. 1B, H317  CAS: 39423-51-3 Polyoxypropylentriamin Skin Corr. 1B, H314; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Acute Tox. 4, H312  CAS: 140-31-8 2-piperazin-1-ylethylamine EINECS: 205-411-0 Acute Tox. 3, H311; Repr. 2, H361fd; STOT RE 1, H372; Skin Corr. 1B, H314; Acute Tox. 4, H302; Skin Sens. 1, H317; Aquatic			
EINECS: 220-666-8 Skin Corr. 1B, H314; Eye Dam. 1, H318; Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Sens. 1, H317; Aquatic Chronic 3, H412  Amine polymer Eye Dam. 1, H318; Skin Irrit. 2, H315; Skin Sens. 1B, H317  CAS: 39423-51-3 Polyoxypropylentriamin Skin Corr. 1B, H314; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Acute Tox. 4, H312  CAS: 140-31-8 2-piperazin-1-ylethylamine EINECS: 205-411-0 Acute Tox. 3, H311; Repr. 2, H361fd; STOT RE 1, H372; Skin Corr. 1B, H314; Acute Tox. 4, H302; Skin Sens. 1, H317; Aquatic	Dangerous compor	nents:	
Eye Dam. 1, H318; Skin Irrit. 2, H315; Skin Sens. 1B, H317  CAS: 39423-51-3  Polyoxypropylentriamin  Skin Corr. 1B, H314; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Acute Tox. 4, H312  CAS: 140-31-8  EINECS: 205-411-0  Acute Tox. 3, H311; Repr. 2, H361fd; STOT RE 1, H372; Skin Corr. 1B, H314; Acute Tox. 4, H302; Skin Sens. 1, H317; Aquatic		Skin Corr. 1B, H314; Eye Dam. 1, H318; Acute Tox. 4, H302;	25-50%
Skin Corr. 1B, H314; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Acute Tox. 4, H312  CAS: 140-31-8  EINECS: 205-411-0  Acute Tox. 3, H311; Repr. 2, H361fd; STOT RE 1, H372; Skin Corr. 1B, H314; Acute Tox. 4, H302; Skin Sens. 1, H317; Aquatic		L	25-50%
EINECS: 205-411-0 Acute Tox. 3, H311; Repr. 2, H361fd; STOT RE 1, H372; Skin Corr. 1B, H314; Acute Tox. 4, H302; Skin Sens. 1, H317; Aquatic	CAS: 39423-51-3	Skin Corr. 1B, H314; Aquatic Chronic 2, H411; Acute Tox. 4, H302;	<i>≥</i> 5-<25%
Chionic 3, 11412		Acute Tox. 3. H311: Repr. 2. H361fd: STOT RE 1. H372: Skin	≥3-<5%

ontd. on page 3





Printing date 14.01.2022 Version number 9 Revision: 14.01.2022

Trade name BRAWO AC - Komponente B

(Contd. of page 2)

CAS: 100-51-6 Benzyl alcohol

<2.5%

EINECS: 202-859-9 Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332

Additional information For the wording of the listed hazard phrases refer to section 16.

#### **SECTION 4: First aid measures**

· 4.1 Description of first aid measures

• General information Take affected persons into the open air.

Instantly remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the

accident.

• After inhalation Supply fresh air and call for doctor for safety reasons.

In case of unconsciousness bring patient into stable side position

for transport.

· After skin contact Instantly wash with water and soap and rinse thoroughly.

· After eye contact Seek medical treatment.

· After swallowing Rinse out mouth and then drink plenty of water.

Instantly call for doctor.

Drink copious amounts of water and provide fresh air. Instantly call

for doctor.

· 4.2 Most important symptoms and effects, both acute and

**delayed**No further relevant information available.

· 4.3 Indication of any

immediate medical attention

and special treatment needed No further relevant information available.

#### **SECTION 5: Firefighting measures**

- 5.1 Extinguishing media
- · Suitable extinguishing agents Use fire fighting measures that suit the environment.
- 5.2 Special hazards arising from the substance or

mixture

No further relevant information available.

· 5.3 Advice for firefighters

· **Protective equipment:** No special measures required.

#### SECTION 6: Accidental release measures

 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Inform respective authorities in case product reaches water or

sewage system.

· 6.3 Methods and material for

containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders,

universal binders, sawdust).

Use neutralising agent.

(Contd. on page 4)





Printing date 14.01.2022 Version number 9 Revision: 14.01.2022

#### Trade name BRAWO AC - Komponente B

(Contd. of page 3)

Dispose of contaminated material as waste according to item 13.

Ensure adequate ventilation.

6.4 Reference to other

sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

#### SECTION 7: Handling and storage

· 7.1 Precautions for safe

**handling** Store in cool, dry place in tightly closed containers.

Open and handle container with care.

· Information about protection

against explosions and fires: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage

· Requirements to be met by

storerooms and containers: No special requirements.

· Information about storage in

one common storage facility: Not required.

· Further information about

**storage conditions:** Keep container tightly sealed.

· 7.3 Specific end use(s) No further relevant information available.

#### SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

Additional information about

design of technical systems: No further data; see item 7.

· Components with critical

values that require

monitoring at the workplace: The product does not contain any relevant quantities of materials

with critical values that have to be monitored at the workplace.

· DNELs		
2855-13-2	3-amir	nomethyl-3,5,5-trimethylcyclohexylamine
Oral	DNEL	0.526 mg/kg bw/Tag (ArL)
Inhalative	DNEL	20.1 mg/m³ (ArL)
39423-51-	3 Poly	oxypropylentriamin
Inhalative	DNEL	14 mg/m³ (ArL)
140-31-8	2-piper	azin-1-ylethylamine
Dermal	DNEL	3.33 mg/kg bw/day (ArL)
Inhalative	DNEL	10.6 mg/m³ (ArL)
100-51-6 l	Benzyl	alcohol
Oral	DNEL	4 mg/kg bw/Tag (ArL)
		20 mg/kg bw/Tag (Ark)
Dermal	DNEL	8 mg/kg bw/day (ArL)
		40 mg/kg bw/day (Ark)
		/O-ntd

(Contd. on page 5)





Version number 9 Revision: 14.01.2022 Printing date 14.01.2022

#### Trade name BRAWO AC - Komponente B

				(Contd. of p
Inhalative	DNEL	22 mg/m³ (A	ArL)	
		110 mg/m³	(Ark)	
<b>PNECs</b>				
2855-13-	2 3-amii	nomethyl-3,	5,5-trimethylcyclohexyla	amine
PNEC 0	006 mg/	/I (Mew)		
0	06 mg/l	(Suw)		
PNEC 0	578 mg/	/kg dwt (Sedi	iment)	
5	784 mg/	/kg dwt (Fres	sh water sediment)	
39423-51	-3 Poly	oxypropyler	ntriamin	
PNEC 1	0 mg/l (S	Sewage Trea	tment Plant)	
0	00044 n	ng/l (Mew)		
0	0044 m	g/I (Suw)		
PNEC 0	002 mg/	/kg dwt (Bod)	)	
0	002 mg/	/kg dwt (Sedi	iment)	
0	02 mg/k	g dwt (Fresh	water sediment)	
140-31-8	2-piper	azin-1-yleth	ylamine	
PNEC 2	•	· ,		
0	0058 m	g/l (Mew)		
0	058 mg/	/I (Suw)		
PNEC 1	mg/kg a	lwt (Bod)		
2	1.5 mg/k	kg dwt (Sedin	nent)	
2	15 mg/kg	g dwt (Fresh	water sediment)	
100-51-6	Benzyl	alcohol		
PNEC 0	527 mg/	/I (Marine wa	ter sediment)	
0	1 mg/l (l	Mew)		
1	mg/l (Fr	esh water se	diment)	
PNEC 0	456 mg/	/kg dwt (Bod)	1	
5	27 mg/k	g dwt (Fresh	water sediment)	

- · 8.2 Exposure controls
- · Personal protective equipment
- · General protective and

hygienic measures Keep away from foodstuffs, beverages and food.

Instantly remove any soiled and impregnated garments. Wash hands during breaks and at the end of the work.

Do not inhale gases / fumes / aerosols. Avoid contact with the eyes and skin.

· Protection of hands: Protective gloves.

Selection of the glove material on consideration of the penetration

times, rates of diffusion and the degradation

After use of gloves apply skin-cleaning agents and skin cosmetics.

The selection of the suitable gloves does not only depend on the · Material of gloves

material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the

application.

(Contd. on page 6)





Printing date 14.01.2022 Version number 9 Revision: 14.01.2022

#### Trade name BRAWO AC - Komponente B

(Contd. of page 5)

· Penetration time of glove

material The exact break trough time has to be found out by the

manufacturer of the protective gloves and has to be observed.

• Eye protection: Safety glasses

Tightly sealed safety glasses.

· Body protection: Protective work clothing.

#### SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Fluid
Colour: Whitish
Smell: Amine-like

· **pH-value:** Not applicable.

· Change in condition

Melting point/freezing point: Not determined

Initial boiling point and boiling range: 232 °C

· Flash point: 110 °C

· Ignition temperature: 380 °C

· **Self-inflammability:** Product is not selfigniting.

• Explosive properties: Product is not explosive.

· Steam pressure at 20 °C: 0.1 hPa

· Density at 20 °C 0.95 g/cm³

· Solubility in / Miscibility with

Water: Not miscible or difficult to mix

• **9.2 Other information** No further relevant information available.

#### SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

10.2 Chemical stability
Thermal decomposition /

conditions to be avoided: No decomposition if used according to specifications.

· 10.3 Possibility of hazardous

reactions No dangerous reactions known

10.4 Conditions to avoid No further relevant information available.
 10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous

decomposition products: No dangerous decomposition products known

GB





Revision: 14.01.2022 Printing date 14.01.2022 Version number 9

Trade name BRAWO AC - Komponente B

(Contd. of page 6)

#### **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- · Acute toxicity Harmful if swallowed.

	Harmful in contact with skin.					
ſ	· LD/LC50 values that are relevant for classification:					
Ī	2855-13-2	2855-13-2 3-aminomethyl-3,5,5-trimethylcyclohexylamine				
Ī	Oral	LD50	1030 mg/kg (rat)			
		NOAEL	250 mg/kg (rat)			
	Dermal	LD50	1840 mg/kg (rabbit)			
			>2000 mg/kg (rat)			
İ	39423-51-	39423-51-3 Polyoxypropylentriamin				
ľ	Oral	LD50	550 mg/kg (rat)			
	Dermal	LD50	>1000 mg/kg (rat)			
ľ	140-31-8	140-31-8 2-piperazin-1-ylethylamine				
Ī	Oral	LD50	2140 mg/kg (rat)			
	Dermal	LD50	866 mg/kg (rabbit)			
ľ	100-51-6 Benzyl alcohol					
ľ	Oral	LD50	1230 mg/kg (rat)			
١		NOAEL 2nd year study	200 mg/kg (mouse)			
			200 mg/kg (rat)			
	Dermal	LD50	2000 mg/kg (rabbit)			
	Inhalative	LC50/4 h	>4178 mg/l (rat)			

Primary irritant effect:

· Skin corrosion/irritation Causes severe skin burns and eye damage.

· Serious eye damage/irritation Causes serious eye damage.

· Respiratory or skin

sensitisation May cause an allergic skin reaction.

· Additional toxicological information:

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Germ cell mutagenicity Based on available data, the classification criteria are not met. · Carcinogenicity Based on available data, the classification criteria are not met. Reproductive toxicity Suspected of damaging fertility. Suspected of damaging the unborn

child.

· STOT-single exposure Based on available data, the classification criteria are not met. STOT-repeated exposure May cause damage to organs through prolonged or repeated

exposure.

Based on available data, the classification criteria are not met. · Aspiration hazard

#### **SECTION 12: Ecological information**

· 12.1 Toxicity

· Aquatic toxicity:

2855-13-2 3-aminomethyl-3,5,5-trimethylcyclohexylamine

LC50/96h 110 mg/l (Leucidus idus)

(Contd. on page 8)





Printing date 14.01.2022 Version number 9 Revision: 14.01.2022

#### Trade name BRAWO AC - Komponente B

		(Contd. of page 7)		
	EC50	1120 mg/l (Pseudomonas putida)		
	EC50/48h	23 mg/l (Daphnia magna)		
	NOEC	1.5 mg/l (Desmodesmus subspicatus)		
		3 mg/l (Daphnia magna)		
	ErC50/72h	>50 mg/l (Desmodesmus subspicatus)		
	39423-51-3	Polyoxypropylentriamin		
	LC50/96h	>100 mg/l (Oncorhynchus mykiss)		
	EC50/48h	13 mg/l (Daphnia magna)		
	ErC50/72h	4.4 mg/l (algae)		
	140-31-8 2-piperazin-1-ylethylamine			
	EC50/72h	>1000 mg/l (algae)		
	LC50/96h	2190 mg/l (fish)		
	100-51-6 Benzyl alcohol			
	IC50/72h	700 mg/l (algae)		
	LC50/96h	460 mg/l (Pimephales promelas)		
		10 mg/l (Lepomis macrochirus)		
_	40.0 Dawaia			

· 12.2 Persistence and

degradability No further relevant information available.

· 12.3 Bioaccumulative

potential No further relevant information available.12.4 Mobility in soil No further relevant information available.

· Ecotoxical effects:

· Remark: Toxic for fish

· Additional ecological information:

• General notes: Toxic for aquatic organisms

Must not reach sewage water or drainage ditch undiluted or

unneutralised.

Also poisonous for fish and plankton in water bodies.

Do not allow product to reach ground water, water bodies or

sewage system.

Danger to drinking water if even small quantities leak into soil.

· 12.5 Results of PBT and vPvB assessment · PBT: Not applicable. · vPvB: Not applicable.

• **12.6 Other adverse effects** No further relevant information available.

#### **SECTION 13: Disposal considerations**

· 13.1 Waste treatment methods

· Recommendation Must not be disposed of together with household garbage. Do not

allow product to reach sewage system.

· Uncleaned packagings:

Recommendation: Dispose of packaging according to regulations on the disposal of

packagings.

(Contd. on page 9)





Version number 9 Revision: 14.01.2022 Printing date 14.01.2022

Trade name BRAWO AC - Komponente B

(Contd. of page 8) Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.

•	
14.1 UN-Number ADR, IMDG, IATA	UN2735
14.2 UN proper shipping name ADR, IMDG, IATA	AMINES, LIQUID, CORROSIVE, N.O.S (Polyoxypropylentriamin, ISOPHORONEDIAMINE
14.3 Transport hazard class(es)	
ADR Class Label	8 (C7) Corrosive substances. 8
IMDG, IATA Class Label	8 Corrosive substances. 8
14.4 Packing group ADR, IMDG, IATA	III
14.5 Environmental hazards: Marine pollutant:	no No
14.6 Special precautions for user Kemler Number: EMS Number: Segregation groups Stowage Category Segregation Code	Warning: Corrosive substances. 80 F-A,S-B Alkalis A SG35 Stow "separated from" SGG1-acids
14.7 Transport in bulk according to A of Marpol and the IBC Code	nnex II Not applicable.
Transport/Additional information:	
ADR Limited quantities (LQ) Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 100 ml
Transport category Tunnel restriction code	3 E
IMDG Limited quantities (LQ)	5L





Printing date 14.01.2022 Version number 9 Revision: 14.01.2022

#### Trade name BRAWO AC - Komponente B

	(Contd. of page 9)
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S. (POLYOXYPROPYLENTRIAMIN, ISOPHORONEDIAMINE), 8, III

#### **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/ legislation specific for the substance or mixture

· 15.2 Chemical safety assessment:

No further relevant information available.

A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

· Relevant phrases	H302	Harmful if swallowed.
•	11011	<b>-</b>

H311 Toxic in contact with skin. H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H332 Harmful if inhaled.

H361fd Suspected of damaging fertility. Suspected of damaging

the unborn child.

H372 Causes damage to organs through prolonged or repeated

exposure.

H411 Toxic to aquatic life with long lasting effects.H412 Harmful to aquatic life with long lasting effects.

Department issuing data

**specification sheet:** Environment protection department.

Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises

dangereuses par chemin de fer (Regulations Concerning the International

Transport of Dangerous Goods by Rail)
ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous

Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

(Contd. on page 11)





Version number 9 Revision: 14.01.2022 Printing date 14.01.2022

#### Trade name BRAWO AC - Komponente B

(Contd. of page 10)

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity – Category 4
Acute Tox. 3: Acute toxicity – Category 3
Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1B: Skin sensitisation - Category 1B Repr. 2: Reproductive toxicity - Category 2

STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic

hazard - Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic

hazard – Category 3

\* \* Data compared to the previous version altered.