

Page 1/10

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.01.2022

Version number 11

Revision: 14.01.2022

Printing date 14.01.2022	Version number 11 Revision: 14.01.20		
SECTION 1: Identificati undertaking	on of the substance/mixtur	e and of the company/	
· 1.1 Product identifier			
• Trade name • 1.2 Relevant identified uses	BRAWO-HT - Komponente A		
of the substance or mixture and uses advised against • Application of the substance	No further relevant information availa	able.	
/ the mixture	Epoxy sealing		
• <b>1.3 Details of the supplier of the safety data sheet</b> • <b>Manufacturer/Supplier:</b> BRAWO SYSTEMS GmbH Blechhammerweg 13-17 67659 Kaiserslautern Deutschland/Germany			
	Tel: +49(0)631-205 61 100		
· Informing department:	Technische Abteilung msds@brawoliner.de		
<ul> <li>1.4 Emergency telephone number:</li> </ul>	+49 (0) 61 31 - 19 240 (Giftnotruf Ma	inz)	
SECTION 2: Hazards ide	ntification		
<ul> <li>2.1 Classification of the subst Classification according to Res</li> </ul>	ance or mixture		
Skin Irrit. 2 H315 Cause	s skin irritation.		
Eye Irrit. 2 H319 Cause	s serious eye irritation.		
Skin Sens. 1 H317 May ca	ause an allergic skin reaction.		
Aquatic Chronic 2 H411 Toxic t	o aquatic life with long lasting effects.		
<ul> <li>2.2 Label elements</li> <li>Labelling according to Regulation (EC) No 1272/2008</li> </ul>	The product is classified and lab regulation.	nelled according to the CLP	
· Hazard pictograms			
	GHS07 GHS09		
· Signal word	Warning		
<ul> <li>Hazard-determining components of labelling;</li> </ul>	Propyl -2 2-diphenyl-4 4'dipropyloxira	ane polymers and homologues	

components of labelling:	Propyl -2,2-diphenyl-4,4'dipropyloxirane polymers and homologues molecular weight < 700
	2,2'-[methylenebis(p-phenyleneoxymethylene)]bisoxirane polymers and homologues, molecular weight < 700
	1,6-hexene-diglycidylether
	maleic anhydride
	oxirane, mono[(C12-14-alkyloxy)methyl] derivs
	4-morpholinecarbaldehyde
<ul> <li>Hazard statements</li> </ul>	H315 Causes skin irritation.
	H319 Causes serious eye irritation.

(Contd. on page 2)



Page 2/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.01.2022

Version number 11

Revision: 14.01.2022

Trade name BRAWO-HT - Komponente A

		(Contd. of page 1)
	H317 May caus	se an allergic skin reaction.
	H411 Toxic to a	aquatic life with long lasting effects.
<ul> <li>Precautionary statements</li> </ul>	P101	If medical advice is needed, have product container or label at hand.
	P102	Keep out of reach of children.
	P103	Read carefully and follow all instructions.
	P261	Avoid breathing dust/fume/gas/mist/vapours/ spray.
	P273	Avoid release to the environment.
	P280	Wear protective gloves / eye protection / face protection.
	P305+P351+P3	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
	P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
• Additional information: • 2.3 Other hazards		constituents. May produce an allergic reaction.
• Results of PBT and vPvB as		
· PBT:	Not applicable.	
· vPvB:	Not applicable.	

## SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

• **Description:** Mixture consisting of the following components.

· Dangerous compor	nents.	
CAS: 1675-54-3 EINECS: 216-823-5	bis[4-(2,3-epoxypropoxy)phenyl]propane	25-50%
CAS: 9003-36-5 NLP: 500-006-8	2,2'-[methylenebis(p-phenyleneoxymethylene)]bisoxirane polymers and homologues, molecular weight < 700	≥10-<25%
	Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	
CAS: 16096-31-4 EINECS: 240-260-4	1,6-hexene-diglycidylether Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; Aquatic Chronic 3, H412	<i>≥</i> 2.5-<10%
CAS: 68609-97-2 EINECS: 271-846-8	oxirane, mono[(C12-14-alkyloxy)methyl] derivs Skin Irrit. 2, H315; Skin Sens. 1, H317	≥0.1-<0.5%
CAS: 4394-85-8 EINECS: 224-518-3	4-morpholinecarbaldehyde Skin Sens. 1, H317	≥0.1-<0.5%
· Additional informat	<i>ion</i> For the wording of the listed hazard phrases refer to s	ection 16.

(Contd. on page 3)



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.01.2022

Version number 11

Revision: 14.01.2022

#### Trade name BRAWO-HT - Komponente A

(Contd. of page 2)

Page 3/10

4.1 Description of first a	
After inhalation	Supply fresh air and call for doctor for safety reasons.
	In case of unconsciousness bring patient into stable side positio
	for transport.
After skin contact	Instantly wash with water and soap and rinse thoroughly. Seek medical treatment.
After eye contact	Rinse opened eye for several minutes under running water.
	symptoms persist, consult doctor.
After swallowing	Rinse out mouth and then drink plenty of water.
,	Seek medical treatment.
4.2 Most important symp	otoms
and effects, both acute a	
delayed	No further relevant information available.
4.3 Indication of any	
immediate medical atten	
and special treatment ne	eded No further relevant information available.
SECTION 5: Firefigh	ting measures
olonion on inorgi	
5.1 Extinguishing media	
	gents Use fire fighting measures that suit the environment.
Suitable extinguishing a	
Suitable extinguishing a 5.2 Special hazards arisi	
Suitable extinguishing a 5.2 Special hazards arisi from the substance or	ng
Suitable extinguishing a 5.2 Special hazards arisi from the substance or mixture	ng No further relevant information available.
Suitable extinguishing a 5.2 Special hazards arisi from the substance or	ng No further relevant information available.

## **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and	
emergency procedures 6.2 Environmental	Not required.
precautions:	Inform respective authorities in case product reaches water or sewage system.
• 6.3 Methods and material for	0,
containment and cleaning up	Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
<sup>.</sup> 6.4 Reference to other	
sections	See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for information on disposal.

## SECTION 7: Handling and storage

• 7.1 Precautions for safe handling

Store in cool, dry place in tightly closed containers. Open and handle container with care.

(Contd. on page 4)

GB



Printing date 14.01.2022

Safety data sheet according to 1907/2006/EC, Article 31

(Contd. of page 3)

Page 4/10

Version number 11

Revision: 14.01.2022

#### Trade name BRAWO-HT - Komponente A

<ul> <li>Information about protection</li> </ul>	
against explosions and fires:	No special measures required.

#### · 7.2 Conditions for safe storage, including any incompatibilities

- · Storage
- · Requirements to be met by
- storerooms and containers: No special requirements.
- · Information about storage in
- one common storage facility: Not required. • Further information about
- storage conditions:
- <sup>.</sup> 7.3 Specific end use(s)

Keep container tightly sealed. No further relevant information available.

## SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Additional information about
- design of technical systems: No further data; see item 7. • Components with critical
- values that require
- *monitoring at the workplace:* The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

### · DNELs

**16096-31-4 1,6-hexene-diglycidylether** Dermal DNEL 2.8 mg/kg bw/day (ArL)

Inhalative DNEL 4.9 mg/m<sup>3</sup> (ArL)

68609-97-2 oxirane, mono[(C12-14-alkyloxy)methyl] derivs

Oral DNEL 1 mg/kg bw/Tag (ArL)

Dermal DNEL 1.7 mg/kg bw/day (ArL)

Inhalative DNEL 0.98 mg/m<sup>3</sup> (ArL)

· PNECs

## 16096-31-4 1,6-hexene-diglycidylether

 16096-31-4
 1,6-hexene-diglycidyle

 PNEC
 0.0115 mg/l (Fresh water)

 0.00115 mg/l (Mew)

PNEC 0.223 mg/kg dwt (Bod) 0.0283 mg/kg dwt (Sediment)

0.283 mg/kg dwt (Fresh water sediment)

68609-97-2 oxirane, mono[(C12-14-alkyloxy)methyl] derivs

PNEC 0.00072 mg/l (Mew)

0.0072 mg/l (Suw)

PNEC 80.12 mg/kg dwt (Bod)

6.677 mg/kg dwt (Sediment)

66.77 mg/kg dwt (Fresh water sediment)

• Additional information: The lists that were valid during the compilation were used as basis. (Contd. on page 5)



Page 5/10

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.01.2022

Version number 11

Revision: 14.01.2022

## Trade name BRAWO-HT - Komponente A

	(Contd. of page 4)
8.2 Exposure controls	
Personal protective equipment	nt
General protective and	
hygienic measures	Keep away from foodstuffs, beverages and food. Instantly remove any soiled and impregnated garments. Wash hands during breaks and at the end of the work. Avoid contact with the eyes and skin.
Protection of hands:	Protective gloves. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation After use of gloves apply skin-cleaning agents and skin cosmetics.
Material of gloves	The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
Penetration time of glove	
material	The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
Eye protection:	Safety glasses Tightly sealed safety glasses.
Body protection:	Protective work clothing.

## **SECTION 9: Physical and chemical properties**

Appearance: Form:	Viscous	
Colour:	Green	
Smell:	Characteristic	
pH-value:	Not applicable.	
Change in condition		
Melting point/freezing point: Initial boiling point and boiling rang	Not determined e: 200 °C	
Flash point:	>93 °C	
Ignition temperature:	460 °C	
Self-inflammability:	Product is not selfigniting.	
Explosive properties:	Product is not explosive.	
Steam pressure at 20 °C:	0.1 hPa	
Density at 20 °C	1.41 g/cm³	
Solubility in / Miscibility with		



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.01.2022

Version number 11

Revision: 14.01.2022

(Contd. of page 5)

#### Trade name BRAWO-HT - Komponente A

· 9.2 Other information

No further relevant information available.

### SECTION 10: Stability and reactivity

· 10.1 Reactivity

No further relevant information available.

- 10.2 Chemical stability
   Thermal decomposition /
- conditions to be avoided:No decomposition if used according to specifications.10.3 Possibility of hazardous<br/>reactionsNo dangerous reactions known10.4 Conditions to avoidNo further relevant information available.10.5 Incompatible materials:No further relevant information available.10.6 Hazardous<br/>decomposition products:No dangerous decomposition products known
  - **SECTION 11: Toxicological information**

I D/I C50	cicity	Based on available data, the classification criteria are not met.
		3-epoxypropoxy)phenyl]propane
Dermal	LD50	23000 mg/kg (rabbit)
9003-36-5		ethylenebis(p-phenyleneoxymethylene)]bisoxirane polymers and jues, molecular weight < 700
Oral	LD50	>2000 mg/kg (rat)
Dermal	LD50	>2000 mg/kg (rabbit)
16096-31		ene-diglycidylether
Oral	LD50	>8500 mg/kg (rat)
Dermal	LD50	>4900 mg/kg (rat)
68609-97	2 oxirane,	, mono[(C12-14-alkyloxy)methyl] derivs
Oral	LD50	17100 mg/kg (rat)
Inhalative	LC50/4 h	0.206 mg/l (rat)
Skin corr Serious e	ory or skin tion al toxicolo	ation Causes skin irritation. ge/irritation Causes serious eye irritation.

Page 6/10



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.01.2022

Version number 11

Revision: 14.01.2022

Page 7/10

### Trade name BRAWO-HT - Komponente A

Aspiration hazard

(Contd. of page 6) Based on available data, the classification criteria are not met.

12.1 Toxici	ity	
Aquatic to	xicity:	
1675-54-3	bis[4-(2,3-epoxy	propoxy)phenyl]propane
IC50	>42.6 mg/l (Bak	)
LC50/96h	2 mg/l (Oncorhy	- /
EC50/48h	1.8 mg/l (Daphr	ia magna)
ErC50/72h	11 mg/l (Selena	strum capricornutum)
		ebis(p-phenyleneoxymethylene)]bisoxirane polymers an blecular weight < 700
LC50/96h	>100 mg/l (Dap	hnia magna)
EC50/96h	>100 mg/l (Leud	sidus idus)
16096-31-4	1,6-hexene-dig	lycidylether
LC50/96h	30 mg/l (Leucid	us idus)
EC50/48h	47 mg/l (Daphni	ia magna)
68609-97-2	oxirane, mono	(C12-14-alkyloxy)methyl] derivs
EbC50/72h	843 mg/l (Pseudokirchneriella subcapitata)	
LC50/96h	>5000 mg/l (On	corhynchus mykiss)
	1800 mg/l (Lepomis macrochirus)	
EC50	>100 mg/l (BEL)	
NOEC	500 mg/l (Pseudokirchneriella subcapitata)	
12.2 Persis degradabil	ity	No further relevant information available.
12.3 Bioac potential	cumulative	No further relevant information available.
12.4 Mobili	itv in soil	No further relevant information available.
Ecotoxical		
Remark:		Toxic for fish
	ecological infor	
General no	ites:	Toxic for aquatic organisms Also poisonous for fish and plankton in water bodies.
		Do not allow product to reach ground water, water bodies.
		sewage system.
		Danger to drinking water if even small quantities leak into soil.
	ts of PBT and vl	PvB assessment
PBT: vPvB:		Not applicable. Not applicable.
	adverse effects	

(Contd. on page 8)



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.01.2022

Version number 11

Revision: 14.01.2022

Trade name BRAWO-HT - Komponente A

(Contd. of page 7)

Page 8/10

## **SECTION 13: Disposal considerations**

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

Recommendation:

Disposal must be made according to official regulations.

SECTION 14: Transport information		
· 14.1 UN-Number · ADR, IMDG, IATA	UN3082	
<ul> <li>14.2 UN proper shipping name</li> <li>ADR, IATA</li> </ul>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (epoxide derivates)	
·IMDG	E N V I R O N M E N T A L L Y H A Z A R D O U SUBSTANCE, LIQUID, N.O.S. (epoxide derivates, MARINE POLLUTANT	
· 14.3 Transport hazard class(es)		
· ADR		
· Class	9 (M6) Miscellaneous dangerous substances an articles.	
· Label	9	
·IMDG, IATA		
<sup>-</sup> Class	9 Miscellaneous dangerous substances an articles.	
<sup>.</sup> Label	9	
· 14.4 Packing group · ADR, IMDG, IATA	<i>III</i>	
· 14.5 Environmental hazards:	Product contains environmentally hazardou substances: epoxide derivates	
· Marine pollutant:	Yes Symbol (fish and tree)	
· Special marking (ADR):	Symbol (fish and tree)	
· Special marking (IATA):	Symbol (fish and tree)	
<sup>.</sup> 14.6 Special precautions for user	Warning: Miscellaneous dangerous substance and articles.	
· Kemler Number:	90	
· EMS Number:	F-A,S-F	
· Stowage Category	A	
<ul> <li>14.7 Transport in bulk according to Ani of Marpol and the IBC Code</li> </ul>	nex II Not applicable.	
	(Contd. on page	

GB



Page 9/10

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.01.2022

Version number 11

Revision: 14.01.2022

### Trade name BRAWO-HT - Komponente A

	(Contd. of page
Transport/Additional information:	
ADR	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 100
	ml
Transport category	3
Tunnel restriction code	(-)
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 100
	ml
UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOU
	SUBSTANCE, LIQUID, N.O.S. (EPOXID
	DERIVATES), 9, III

### SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive	2012/10/EII
Directive	2012/18/EU

- Qualifying quantity (tonnes) for the application of lowertier requirements
   Qualifying quantity (tonnes) for the application of upper-
- tier requirements 500 t • 15.2 Chemical safety assessment: A Che

A Chemical Safety Assessment has not been carried out.

#### SECTION 16: Other information • Relevant phrases H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. · Department issuing data specification sheet: Environment protection department. · Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) (Contd. on page 10) GB



Page 10/10

GB

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.01.2022

Version number 11

Revision: 14.01.2022

## Trade name BRAWO-HT - Komponente A

	Contd. of page S IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals
	EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances
	CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH)
	PNEC: Predicted No-Effect Concentration (REACH)
	LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent
	PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative
	Skin Irrit. 2: Skin corrosion/irritation – Category 2
	Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Skin Sens. 1: Skin sensitisation – Category 1
	Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquat hazard – Category 2
	Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquat hazard – Category 3
• * Data compared to the previous version altered.	