

Page 1/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.01.2022

Version number 13

Revision: 14.01.2022

SECTION 1: Identification of the substance/mixture and of the company/ undertaking				
· 1.1 Product identifier				
 Trade name 1.2 Relevant identified uses of the substance or mixture 	BRAWO-III - Komponente B			
and uses advised against Application of the substance	No further relevant information available.			
/ the mixture	Epoxy sealing Hardening agent/ Curing agent			
• 1.3 Details of the supplier of t • Manufacturer/Supplier:	the safety data sheet BRAWO SYSTEMS GmbH Blechhammerweg 13-17 67659 Kaiserslautern Deutschland/Germany			
	Tel: +49(0)631-205 61 100			
· Informing department:	Technische Abteilung msds@brawoliner.de			
 1.4 Emergency telephone number: 	+49 (0) 61 31 - 19 240 (Giftnotruf Mainz)			
SECTION 2: Hazards ide	ntification			
2.1 Classification of the subs				
Classification according to Re Acute Tox. 4 H302 Harn	egulation (EC) No 1272/2008 nful if swallowed.			
	nful in swallowed. nful in contact with skin.			
	ses severe skin burns and eye damage.			
	ses severe skin burns and eye damage. ses serious eye damage.			
•	cause an allergic skin reaction.			
	pected of damaging fertility. Suspected of damaging the unborn			
STOT RE 2 H373 May	cause damage to organs through prolonged or repeated exposure.			
Aquatic Chronic 3 H412 Harn	nful to aquatic life with long lasting effects.			
,	The product is classified and labelled according to the CLP regulation.			
· Hazard pictograms				
	GHS05 GHS07 GHS08			
· Signal word	Danger			
 Hazard-determining components of labelling: 	3-aminomethyl-3,5,5-trimethylcyclohexylamine 2-piperazin-1-ylethylamine Amine polymer Polyoxypropyloptriamin			

Polyoxypropylentriamin



Printing date 14.01.2022

Page 2/11

Safety data sheet according to 1907/2006/EC, Article 31

Version number 13

Revision: 14.01.2022

Trade name BRAWO-III - Komponente B

		(Contd. of page 1)
 Hazard statements 	H302 Harmful if sv	vallowed.
	H312 Harmful in c	ontact with skin.
	H314 Causes seve	ere skin burns and eye damage.
	H317 May cause a	an allergic skin reaction.
		of damaging fertility. Suspected of damaging
	the unborn o	
	H373 May cause repeated ex	damage to organs through prolonged or posure.
	H412 Harmful to a	quatic life with long lasting effects.
Precautionary statements	P101 li	f medical advice is needed, have product ontainer or label at hand.
	P102 k	Keep out of reach of children.
		Read carefully and follow all instructions.
		Do not breathe dusts or mists.
	P303+P361+P353 II	F ON SKIN (or hair): Take off immediately all
	С	ontaminated clothing. Rinse skin with water [or
	S	hower].
	P305+P351+P338 II	F IN EYES: Rinse cautiously with water for
		everal minutes. Remove contact lenses, if
		resent and easy to do. Continue rinsing.
		mmediately call a POISON CENTER/doctor.
		Specific treatment (see on this label).
		ake off contaminated clothing and wash it
		efore reuse.
		Dispose of contents/container in accordance
		vith local/regional/national/international equlations.
Additional information:		man health and the environment, comply with
	the instructions for u	
· 2.3 Other hazards		
· Results of PBT and vPvB as	sessment	
· PBT:	Not applicable.	
· vDvB·	Not applicable	

vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

• **Description:** Mixture consisting of the following components.

CAS: 2855-13-2	3-aminomethyl-3,5,5-trimethylcyclohexylamine	
EINECS: 220-666-8	Skin Corr. 1B, H314; Eye Dam. 1, H318; Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Sens. 1, H317; Aquatic Chronic 3, H412	
	Amine polymer	25-50%
	Eye Dam. 1, H318; Skin Irrit. 2, H315; Skin Sens. 1B, H317	
CAS: 39423-51-3	Polyoxypropylentriamin	<i>≥</i> 5-<25%
	Skin Corr. 1B, H314; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Acute Tox. 4, H312	
CAS: 140-31-8	2-piperazin-1-ylethylamine	<i>≥</i> 3-<5%
EINECS: 205-411-0	Acute Tox. 3, H311; Repr. 2, H361fd; STOT RE 1, H372; Skin Corr. 1B, H314; Acute Tox. 4, H302; Skin Sens. 1, H317; Aquatic Chronic 3, H412	



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.01.2022

Version number 13

Revision: 14.01.2022

Page 3/11

Trade name BRAWO-III - Komponente B

	(Co	ontd. of page 2)
CAS: 100-51-6	Benzyl alcohol	<2.5%
EINECS: 202-859-9	Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332	
· Additional informat	ion For the wording of the listed hazard phrases refer to se	ction 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures				
· General information	Take affected persons into the open air. Instantly remove any clothing soiled by the product. Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.			
· After inhalation	Supply fresh air and call for doctor for safety reasons. In case of unconsciousness bring patient into stable side position for transport.			
· After skin contact	Instantly wash with water and soap and rinse thoroughly.			
 After eye contact 	Seek medical treatment.			
· After swallowing	Rinse out mouth and then drink plenty of water. Instantly call for doctor. Drink copious amounts of water and provide fresh air. Instantly call			
	for doctor.			
 4.2 Most important symptoms and effects, both acute and 				
delayed • 4.3 Indication of any	No further relevant information available.			
immediate medical attention	No further relevant information available.			

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

- · Suitable extinguishing agents Use fire fighting measures that suit the environment.
- · 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

• 5.3 Advice for firefighters • Protective equipment:

No special measures required.

SECTION 6: Accidental release measures

 6.1 Personal precautions, protective equipment and 	
emergency procedures	Wear protective equipment. Keep unprotected persons away.
6.2 Environmental	
precautions:	Inform respective authorities in case product reaches water or sewage system.
 6.3 Methods and material for 	U <i>Y</i>
containment and cleaning up:	Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent.
	(Contd on page 4)

(Contd. on page 4)

GB



Page 4/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.01.2022

Version number 13

Revision: 14.01.2022

Trade name BRAWO-III - Komponente B

. 6 4 Deference to other	(Contd. of page 3) Dispose of contaminated material as waste according to item 13. Ensure adequate ventilation.
 6.4 Reference to other sections 	See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for information on disposal.

SECTION 7: Handling and storage

• 7.1 Precautions for safe	
handling	

Store in cool, dry place in tightly closed containers. Open and handle container with care.

- Information about protection against explosions and fires: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage

· Requirements	to be met by
----------------	--------------

storerooms and containers:	No special requirements.
 Information about storage in one common storage facility: 	Not required.
 Further information about storage conditions: 	Keep container tightly sealed.
7.3 Specific end use(s)	No further relevant information available.

SECTION 8: Exposure controls/personal protection

 8.1 Control parameters Additional information about design of technical systems: Components with critical values that require monitoring at the workplace: 		mation about cal systems: th critical ire	No further data; see item 7. The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.	
	· DNELs			
2855-13-2 3-aminomethyl-3,5,5-trimethylcyclohexylamine				
	Oral	DNEL	0.526 mg/kg l	bw/Tag (ArL)
	Inhalative	DNEL	20.1 mg/m³ (A	ArL)
39423-51-3 Polyoxypropylentriamin				riamin
	Inhalative	DNEL	14 mg/m³ (Ar	L)
	140-31-8	2.niner	azin_1_vlethvl	amine

140-31-8 2-piperazin-1-ylethylamineDermalDNEL3.33 mg/kg bw/day (ArL)

Inhalative DNEL 10.6 mg/m³ (ArL)

100-51-6 Benzyl alcohol

100-51-6 Benzyi alconol			
Oral	DNEL	4 mg/kg bw/Tag (ArL)	
		20 mg/kg bw/Tag (Ark)	
Dermal	DNEL	8 mg/kg bw/day (ArL)	
		40 mg/kg bw/day (Ark)	

(Contd. on page 5)

GB



Page 5/11

GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.01.2022

Version number 13

Revision: 14.01.2022

Trade name BRAWO-III - Komponente B

Inhalat	ive DNFI	22 mg/m³ ((Contd. of page
minarat		110 mg/m ³	
B 1/50		n to mg/m	
PNEC			
		•	,5,5-trimethylcyclohexylamine
PNEC	0.006 mg/	. ,	
	0.06 mg/l	. ,	
PNEC	-	kg dwt (Seo	,
	-	•	sh water sediment)
	-	oxypropyle	
PNEC		-	atment Plant)
	0.00044 mg/l (Mew)		
	0.0044 mg	g/I (Suw)	
PNEC	0.002 mg/	′kg dwt (Boo	d)
	0.002 mg/	'kg dwt (Sed	diment)
	0.02 mg/k	g dwt (Fres	h water sediment)
140-31	-8 2-piper	azin-1-yletl	hylamine
	250 mg/l (
	0.0058 mg	g/I (Mew)	
	0.058 mg/	,	
PNEC	1 mg/kg d	, ,	
		g dwt (Sedi	ment)
	-		n water sediment)
100-51	-6 Benzyl		,
PNEC 0.527 mg/l (Marine w			ater sediment)
	0.1 mg/l (l	•	,
		esh water s	ediment)
PNEC		kg dwt (Boo	
0	-		h water sediment)
Additi	onal inforr		The lists that were valid during the compilation were used as bas
	posure co	ntrois tive equipn	nonf
	al protecti		ient
	nic measur		Keep away from foodstuffs, beverages and food.
			Instantly remove any soiled and impregnated garments.
			Wash hands during breaks and at the end of the work.
			Do not inhale gases / fumes / aerosols. Avoid contact with the eyes and skin.
Protection of hands:		nds:	Protective gloves.
	Protection of hunds.		Selection of the glove material on consideration of the penetrati
			times, rates of diffusion and the degradation
Mater	-1 -61	-	After use of gloves apply skin-cleaning agents and skin cosmetic
Materi	al of glove	S	The selection of the suitable gloves does not only depend on t material, but also on further marks of quality and varies fro
			material, but also on further marks of quality and varies in manufacturer to manufacturer. As the product is a preparation
			several substances, the resistance of the glove material can not
			calculated in advance and has therefore to be checked prior to t
			application.
			(Contd. on pag



Printing date 14.01.2022

· Eye protection:

· Body protection:

Safety data sheet according to 1907/2006/EC, Article 31

Version number 13

Revision: 14.01.2022

(Contd. of page 5)

Trade name BRAWO-III - Komponente B

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed. Safety glasses Tightly sealed safety glasses. Protective work clothing.

SECTION 0: Physical and abo	mical proportion
SECTION 9: Physical and che	anical properties
 9.1 Information on basic physical and General Information 	nd chemical properties
· Appearance:	
Form:	Fluid
Colour:	Whitish
· Smell:	Amine-like
· pH-value:	Not applicable.
· Change in condition	
Melting point/freezing point:	Not determined
Initial boiling point and boiling rai	nge: 247 °C
· Flash point:	117 °C
· Ignition temperature:	380 °C
· Self-inflammability:	Product is not selfigniting.
• Explosive properties:	Product is not explosive.
· Steam pressure at 20 °C:	0.1 hPa
· Density at 20 °C	0.95 g/cm³
· Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix
• 9.2 Other information	No further relevant information available.

10.1 Popotivity	No further relevant information available.
10.1 Reactivity	
10.2 Chemical stability	
Thermal decomposition /	
conditions to be avoided:	No decomposition if used according to specifications.
10.3 Possibility of hazardous	
reactions	No dangerous reactions known
10.4 Conditions to avoid	No further relevant information available.
10.5 Incompatible materials:	No further relevant information available.
10.6 Hazardous	
decomposition products:	No dangerous decomposition products known

(Contd. on page 7)

Page 6/11



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.01.2022

Version number 13

Revision: 14.01.2022

(Contd. of page 6)

Trade name BRAWO-III - Komponente B

	mation on toxicologic	
Acute tox	-	Harmful if swallowed. Harmful in contact with skin.
	values that are releva	
		-trimethylcyclohexylamine
Oral LD50		1030 mg/kg (rat)
_ ,	NOAEL	250 mg/kg (rat)
Dermal	LD50	1840 mg/kg (rabbit)
		>2000 mg/kg (rat)
	3 Polyoxypropylentri	
Oral	LD50	550 mg/kg (rat)
Dermal	LD50	>1000 mg/kg (rat)
140-31-8	2-piperazin-1-ylethyla	mine
Oral	LD50	2140 mg/kg (rat)
Dermal	LD50	866 mg/kg (rabbit)
100-51-6	Benzyl alcohol	
Oral	LD50	1230 mg/kg (rat)
	NOAEL 2nd year stud	y 200 mg/kg (mouse)
		200 mg/kg (rat)
Dermal	LD50	2000 mg/kg (rabbit)
Inhalative	LC50/4 h	>4178 mg/l (rat)
Primary i	rritant effect:	
		Causes severe skin burns and eye damage.
		Causes serious eye damage.
Respirato sensitisa		May aquaa an allargia akin reaction
	l toxicological inform	May cause an allergic skin reaction.
		Itagenicity and toxicity for reproduction)
	mutagenicity	Based on available data, the classification criteria are not met.
· Carcinogenicity		Based on available data, the classification criteria are not met.
•	-	Suspected of damaging fertility. Suspected of damaging the unbo child.
		Based on available data, the classification criteria are not met.
STOT-rep		May cause damage to organs through prolonged or repeat exposure.
		Based on available data, the classification criteria are not met.

- **SECTION 12: Ecological information**
- · 12.1 Toxicity

· Aquatic toxicity:

2855-13-2 3-aminomethyl-3,5,5-trimethylcyclohexylamine

LC50/96h 110 mg/l (Leucidus idus)

(Contd. on page 8)

Page 7/11

⁻ GB



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.01.2022

Version number 13

Revision: 14.01.2022

Trade name BRAWO-III - Komponente B

		(Contd. of page 7)
EC50	1120 mg/l (Pseudon	nonas putida)
EC50/48h	23 mg/l (Daphnia m	agna)
NOEC	1.5 mg/l (Desmodes	smus subspicatus)
	3 mg/l (Daphnia ma	gna)
ErC50/72h	>50 mg/l (Desmode	smus subspicatus)
39423-51-3	Polyoxypropylentr	iamin
LC50/96h	>100 mg/l (Oncorhy	nchus mykiss)
EC50/48h	13 mg/l (Daphnia m	agna)
ErC50/72h	4.4 mg/l (algae)	
140-31-8 2-	piperazin-1-ylethyl	amine
EC50/72h	>1000 mg/l (algae)	
LC50/96h	2190 mg/l (fish)	
100-51-6 B	enzyl alcohol	
IC50/72h	700 mg/l (algae)	
LC50/96h	460 mg/l (Pimephale	es promelas)
	10 mg/l (Lepomis m	acrochirus)
· 12.2 Persis		
degradabil		No further relevant information available.
· 12.3 Bioac potential	cumulative	No further relevant information available.
· 12.4 Mobili	itv in soil	No further relevant information available.
· Ecotoxical		
· Remark:		Toxic for fish
	ecological informa	
· General no	otes:	Must not reach sewage water or drainage ditch undiluted or unneutralised.
		Also poisonous for fish and plankton in water bodies.
		Toxic for aquatic organisms
		Do not allow product to reach ground water, water bodies or
		sewage system. Denger to drinking water if even small quantities look into poil
· 12 5 Resul	ts of PBT and vPvB	Danger to drinking water if even small quantities leak into soil.
· PBT:		Not applicable.
· vPvB:		Not applicable.
[.] 12.6 Other	adverse effects	No further relevant information available.

SECTION 13: Disposal considerations

 13.1 Waste treatment metho Recommendation 	ds Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
 Uncleaned packagings: Recommendation: 	Dispose of packaging according to regulations on the disposal of packagings. (Contd. on page 9)

Page 8/11



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.01.2022

Version number 13

Revision: 14.01.2022

Trade name BRAWO-III - Komponente B

(Contd. of page 8) Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.

14.1 UN-Number ADR, IMDG, IATA	UN2735
14.2 UN proper shipping name ADR, IMDG, IATA	AMINES, LIQUID, CORROSIVE, N.O.S (Polyoxypropylentriamin, ISOPHORONEDIAMINE
14.3 Transport hazard class(es)	
ADR Class Label	8 (C7) Corrosive substances. 8
IMDG, IATA Class Label	8 Corrosive substances. 8
14.4 Packing group ADR, IMDG, IATA	11
14.5 Environmental hazards: Marine pollutant:	no No
14.6 Special precautions for user Kemler Number: EMS Number: Segregation groups Stowage Category Segregation Code	Warning: Corrosive substances. 80 F-A,S-B Alkalis A SG35 Stow "separated from" SGG1-acids
14.7 Transport in bulk according to Al of Marpol and the IBC Code	nnex II Not applicable.
Transport/Additional information:	
<i>ADR Limited quantities (LQ) Excepted quantities (EQ)</i>	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 m
Transport category Tunnel restriction code	2 E
IMDG Limited quantities (LQ) Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 m

Page 9/11



Page 10/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.01.2022

Version number 13

Revision: 14.01.2022

(Contd. of page 9)

Trade name BRAWO-III - Komponente B

· UN "Model Regulation":

UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S. (P O L Y O X Y P R O P Y L E N T R I A M I N , ISOPHORONEDIAMINE), 8, II

SECTION 15: Regulatory information		
 15.1 Safety, health and environmental regulations/ legislation specific for the substance or mixture 	No further relevant information available.	
 15.2 Chemical safety assessment: 	A Chemical Safety Assessment has not been carried out.	
SECTION 16: Other info	ormation	

·	H311 H312 H314 H315 H317 H318 H332 H361fd H372 H411	Harmful if swallowed. Toxic in contact with skin. Harmful in contact with skin. Causes severe skin burns and eye damage. Causes series skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Harmful if inhaled. Suspected of damaging fertility. Suspected of damaging the unborn child. Causes damage to organs through prolonged or repeated exposure. Toxic to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects.
 Department issuing data specification sheet: 	Environ	ment protection department
• Abbreviations and acronyms:	Environment protection department. ns: RID: Règlement international concernant le transport des ma dangereuses par chemin de fer (Regulations Concerning the In Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dang	glement international concernant le transport des marchandises uses par chemin de fer (Regulations Concerning the International t of Dangerous Goods by Rail) ernational Civil Aviation Organisation cord relatif au transport international des marchandises dangereuses par tropean Agreement Concerning the International Carriage of Dangerous (Road) ternational Maritime Code for Dangerous Goods ernational Air Transport Association bally Harmonised System of Classification and Labelling of Chemicals European Inventory of Existing Commercial Chemical Substances European List of Notified Chemical Substances emical Abstracts Service (division of the American Chemical Society) erived No-Effect Level (REACH) redicted No-Effect Concentration (REACH) thal concentration, 50 percent thal dose, 50 percent sistent, Bioaccumulative and Toxic ry Persistent and very Bioaccumulative x. 4: Acute toxicity – Category 4 x. 3: Acute toxicity – Category 3 : 1B: Skin corrosion/irritation – Category 1B 2: Skin corrosion/irritation – Category 2
		(Contd. on page 11)
		GB



Page 11/11

GB —

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.01.2022

Version number 13

Revision: 14.01.2022

Trade name BRAWO-III - Komponente B

	(Contd. of page 10
	Eye Dam. 1: Serious eye damage/eye irritation – Category 1
	, , , , , , , , , , , , , , , , , , , ,
	Skin Sens. 1: Skin sensitisation – Category 1
	Skin Sens. 1B: Skin sensitisation – Category 1B
	Repr. 2: Reproductive toxicity – Category 2
	STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1
	STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2
	Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquati
	hazard – Category 2
	Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquati
	hazard – Category 3
* Data compared to the	
previous version altered.	