



Printing date 17.11.2021 Version number 13 Revision: 18.10.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name BRAWO RR - Komponente B

· 1.2 Relevant identified uses of the substance or mixture

and uses advised against N

No further relevant information available.

· Application of the substance

/ the mixture Epoxy sealing

Hardening agent/ Curing agent

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier: KOB GmbH

BRAWOLINER - Sanierungssysteme

Lauterstraße 50 D-67752 Wolfstein

Germany

Tel: +49(0)631-205 61 100

· Informing department: Technische Abteilung

msds@brawoliner.de

· 1.4 Emergency telephone

number: +49 (0) 61 31 - 19 240 (Giftnotruf Mainz)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Acute Tox. 4 H302 Harmful if swallowed.

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.
Skin Sens. 1 H317 May cause an allergic skin reaction.

Repr. 2 H361fd Suspected of damaging fertility. Suspected of damaging the unborn

child.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.

Aguatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

· 2.2 Label elements

Labelling according to

Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS05 GHS07 GHS08

· Signal word Danger

· Hazard-determining

components of labelling: Formaldehyde, oligomeric reaction products with 3,3'-

iminodi(propylamine) 2-piperazin-1-ylethylamine 1,3-Cyclohexanedimethanamine

(Contd. on page 2)





Version number 13 Revision: 18.10.2021 Printing date 17.11.2021

Trade name BRAWO RR - Komponente B

(Contd. of page 1)

Benzyl alcohol

polymer amine terminated

2,4,6-Tris-(1-Phenyl-Ethyl) carbolic acid

· Hazard statements H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H361fd Suspected of damaging fertility. Suspected of damaging

the unborn child.

H373 May cause damage to organs through prolonged or

repeated exposure.

H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements P101 If medical advice is needed, have product

container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P260 Do not breathe dusts or mists.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all

contaminated clothing. Rinse skin with water [or

shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for

several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

P362+P364 Take off contaminated clothing and wash it

before reuse.

P501 Dispose of contents/container in accordance

with local/regional/national/international

regulations.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· PBT: Not applicable. · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description: Mixture consisting of the following components.

· Dangerous components:		
CAS: 161278-35-9	Formaldehyde, oligomeric reaction products with 3,3'-iminodi(propylamine)	25-50%
	Skin Corr. 1A, H314; Eye Dam. 1, H318; Acute Tox. 4, H302; Skin Sens. 1, H317	
	polymer amine terminated	≥10-<25%
	Eye Dam. 1, H318; Skin Irrit. 2, H315; Skin Sens. 1B, H317	
CAS: 2579-20-6	1,3-Cyclohexanedimethanamine	≥5-<25%
EINECS: 219-941-5	Skin Corr. 1B, H314; Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Sens. 1, H317	
	(0	ontd on page 3)





Printing date 17.11.2021 Version number 13 Revision: 18.10.2021

Trade name BRAWO RR - Komponente B

	(C	contd. of page 2
CAS: 100-51-6	Benzyl alcohol	<25%
EINECS: 202-859-9	Acute Tox. 4, H302; Acute Tox. 4, H332	
CAS: 140-31-8	2-piperazin-1-ylethylamine	≥5-<10%
EINECS: 205-411-0	Acute Tox. 3, H311; Repr. 2, H361fd; STOT RE 1, H372; Skin Corr. 1B, H314; Acute Tox. 4, H302; Skin Sens. 1, H317; Aquatic Chronic 3, H412	
CAS: 61788-44-1	2,4,6-Tris-(1-Phenyl-Ethyl) carbolic acid	≥2.5-<10%
EINECS: 262-975-0	Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Skin Sens. 1, H317	
CAS: 69-72-7	salicylic acid	≥1-<1.5%
EINECS: 200-712-3	Repr. 2, H361d; Eye Dam. 1, H318; Acute Tox. 4, H302	
· Additional informa	tion For the wording of the listed hazard phrases refer to se	ection 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

• General information Instantly remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the

accident.

• After inhalation Supply fresh air and call for doctor for safety reasons.

In case of unconsciousness bring patient into stable side position

for transport.

· After skin contact Instantly wash with water and soap and rinse thoroughly.

• After eye contact Call a doctor immediately.
• After swallowing Instantly call for doctor.

Drink copious amounts of water and provide fresh air. Instantly call

for doctor.

· 4.2 Most important symptoms and effects, both acute and

delayed No further relevant information available.

· 4.3 Indication of any

immediate medical attention

and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· Suitable extinguishing agents Use fire fighting measures that suit the environment.

5.2 Special hazards arising from the substance or

mixture No further relevant information available.

· 5.3 Advice for firefighters

• **Protective equipment:** No special measures required.

SECTION 6: Accidental release measures

 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

(Contd. on page 4)





Printing date 17.11.2021 Version number 13 Revision: 18.10.2021

Trade name BRAWO RR - Komponente B

(Contd. of page 3)

· 6.2 Environmental

precautions: Inform respective authorities in case product reaches water or

sewage system.

· 6.3 Methods and material for

containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders,

universal binders, sawdust). Use neutralising agent.

Dispose of contaminated material as waste according to item 13.

Ensure adequate ventilation.

· 6.4 Reference to other

sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

· 7.1 Precautions for safe

handling Store in cool, dry place in tightly closed containers.

Open and handle container with care.

· Information about protection

against explosions and fires: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage

· Requirements to be met by

storerooms and containers: No special requirements.

· Information about storage in

one common storage facility: Not required.

· Further information about

storage conditions: Keep container tightly sealed.

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Additional information about

design of technical systems: No further data; see item 7.

· Components with critical

values that require

monitoring at the workplace: The product does not contain any relevant quantities of materials

with critical values that have to be monitored at the workplace.

· DNELs	DNELs		
2579-20-6	2579-20-6 1,3-Cyclohexanedimethanamine		
Inhalative	Inhalative DNEL 0.00947 mg/m³ (Workers)		
100-51-6 I	100-51-6 Benzyl alcohol		
Oral	DNEL	4 mg/kg bw/Tag (ArL)	
		20 mg/kg bw/Tag (Ark)	
Dermal	DNEL	8 mg/kg bw/day (ArL)	
		40 mg/kg bw/day (Ark)	

(Contd. on page 5)





Printing date 17.11.2021 Version number 13 Revision: 18.10.2021

Trade name BRAWO RR - Komponente B

			(Contd. of pag
Inhalat	ive DNEL	22 mg/m³ (ArL)	, , ,
		110 mg/m³ (Ark)	
140-31	-8 2-piper	nzin-1-ylethylamine	
Derma	I DNEL	3.33 mg/kg bw/day (ArL)	
Inhalat	ive DNEL	10.6 mg/m³ (ArL)	
PNEC	3		
2579-2	0-6 1,3-Cy	clohexanedimethanamine	
PNEC	0.003 mg/	(Mew)	
PNEC	0.033 mg/l (Fresh water)		
100-51	-6 Benzyl	alcohol	
PNEC	0.527 mg/l (Marine water sediment)		
	0.1 mg/l (l	1ew)	
	1 mg/l (Fr	esh water sediment)	
PNEC	0.456 mg/	kg dwt (Bod)	
	5.27 mg/k	g dwt (Fresh water sediment)	
140-31	-8 2-piper	nzin-1-ylethylamine	
PNEC	250 mg/l (Kla)	
	0.0058 mg	/I (Mew)	
	0.058 mg/	(Suw)	
PNEC	1 mg/kg d	vt (Bod)	
	21.5 mg/k	g dwt (Sediment)	
	215 mg/kg	dwt (Fresh water sediment)	
Δdditid	onal infori	The lists that were valid o	luring the compilation were used as bas

Additional information:

The lists that were valid during the compilation were used as basis.

- · 8.2 Exposure controls
- · Personal protective equipment
- · General protective and

hygienic measures Keep away from foodstuffs, beverages and food.

Instantly remove any soiled and impregnated garments. Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

• **Protection of hands:** Protective gloves.

Selection of the glove material on consideration of the penetration

times, rates of diffusion and the degradation

After use of gloves apply skin-cleaning agents and skin cosmetics.

· Material of gloves Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.4 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the

application.

· Penetration time of glove

material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection: Safety glasses

Tightly sealed safety glasses.

(Contd. on page 6)





Printing date 17.11.2021 Version number 13 Revision: 18.10.2021

Trade name BRAWO RR - Komponente B

· Body protection: Protective work clothing.

(Contd. of page 5)

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Fluid
Colour: Dark brown
Smell: Amine-like

• pH-value: Not applicable.

· Change in condition

Melting point/freezing point: Not determined

Initial boiling point and boiling range: 232 °C

· Flash point: 110 °C

· Ignition temperature: 380 °C

Self-inflammability: Product is not selfigniting.

• Explosive properties: Product is not explosive.

· Steam pressure at 20 °C: 0.1 hPa

· Density at 20 °C 0.96 g/cm³

· Solubility in / Miscibility with

Water: Not miscible or difficult to mix

• 9.2 Other information No further relevant information available.

SECTION 10: Stability and reactivity

• 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

Thermal decomposition /

conditions to be avoided: No decomposition if used according to specifications.

· 10.3 Possibility of hazardous

reactions No dangerous reactions known

• 10.4 Conditions to avoid No further relevant information available. • 10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous

decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

· Acute toxicity Harmful if swallowed.

(Contd. on page 7)





Version number 13 Revision: 18.10.2021 Printing date 17.11.2021

Trade name BRAWO RR - Komponente B

	(Contd. of page 6)
values that are relevant	t for classification:
1,3-Cyclohexanedimet	thanamine
LD50	700 mg/kg (rat)
LD50	1700 mg/kg (rat)
Benzyl alcohol	
LD50	1230 mg/kg (rat)
NOAEL 2nd year study	200 mg/kg (mouse)
	200 mg/kg (rat)
LD50	2000 mg/kg (rabbit)
LC50/4 h	>4178 mg/l (rat)
2-piperazin-1-ylethylam	ine
LD50	2140 mg/kg (rat)
LD50	866 mg/kg (rabbit)
alicylic acid	
LD50	891 mg/kg (rat)
LD50	>2000 mg/kg (rat)
	1,3-Cyclohexanediments LD50 LD50 Benzyl alcohol LD50 NOAEL 2nd year study LD50 LC50/4 h 2-piperazin-1-ylethylam LD50 LD50 alicylic acid

· Primary irritant effect:

Skin corrosion/irritation Causes severe skin burns and eye damage.

· Serious eye damage/irritation Causes serious eye damage.

· Respiratory or skin

sensitisation May cause an allergic skin reaction.

· Additional toxicological information:

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Based on available data, the classification criteria are not met. · Germ cell mutagenicity Based on available data, the classification criteria are not met. · Carcinogenicity Suspected of damaging fertility. Suspected of damaging the unborn · Reproductive toxicity

child.

Based on available data, the classification criteria are not met. · STOT-single exposure May cause damage to organs through prolonged or repeated · STOT-repeated exposure

exposure.

· Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:		
2579-20-6 1,3-Cyclohexanedimethanamine		
EC50/24h 90 mg/l (Pseudokirchneriella subcapitata)		
EC50	90 mg/l (Pseudomonas putida)	
LC50/48h	130 mg/l (Leucidus idus)	
100-51-6 L	Benzyl alcohol	
IC50/72h	700 mg/l (algae)	
LC50/96h	460 mg/l (Pimephales promelas)	
	10 mg/l (Lepomis macrochirus)	
	(Contd. on page 8)	

(Contd. on page 8)





Printing date 17.11.2021 Version number 13 Revision: 18.10.2021

Trade name BRAWO RR - Komponente B

(Contd. of page 7)

140-31-8 2-piperazin-1-ylethylamine

EC50/72h >1000 mg/l (algae) LC50/96h 2190 mg/l (fish)

· 12.2 Persistence and

degradability No further relevant information available.

· 12.3 Bioaccumulative

potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

· Ecotoxical effects:

· Remark: Toxic for fish

· Additional ecological information:

• General notes: Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

Must not reach sewage water or drainage ditch undiluted or

unneutralised.

Do not allow product to reach ground water, water bodies or

sewage system.

Danger to drinking water if even small quantities leak into soil.

· 12.5 Results of PBT and vPvB assessment · PBT: Not applicable. · vPvB: Not applicable.

12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

• Recommendation Must not be disposed of together with household garbage. Do not

allow product to reach sewage system.

· Waste disposal key number: 55352

Bez.: aliphatische Amine Entsorgungshinweise: Sonderabfallverbrennung

· Uncleaned packagings:

• Recommendation: Dispose of packaging according to regulations on the disposal of

packagings.

Empty contaminated packagings thoroughly. They can be recycled

after thorough and proper cleaning.

SECTION 14: Transport information

· 14.1 UN-Number · ADR, IMDG, IATA	UN1760
· 14.2 UN proper shipping name · ADR, IMDG, IATA	CORROSIVE LIQUID, N.O.S. (Formaldehyde,oligomeric reaction products with 3,3'-iminodi(propylamine), 1,3- Cyclohexanedimethanamine)

(Contd. on page 9)





Printing date 17.11.2021 Version number 13 Revision: 18.10.2021

Trade name BRAWO RR - Komponente B

	(Contd. of page
14.3 Transport hazard class(es)	
ADR Class Label	8 (C9) Corrosive substances. 8
IMDG, IATA Class Label	8 Corrosive substances. 8
14.4 Packing group ADR, IMDG, IATA	II
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user Kemler Number: EMS Number: Segregation groups Stowage Category Stowage Code	Warning: Corrosive substances. 80 F-A,S-B Alkalis B SW2 Clear of living quarters.
14.7 Transport in bulk according to Ani of Marpol and the IBC Code	nex II Not applicable.
Transport/Additional information:	
· ADR · Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 m
· Transport category · Tunnel restriction code	2 E
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 m
UN "Model Regulation":	UN 1760 CORROSIVE LIQUID, N.O.S (FORMALDEHYDE,OLIGOMERIC REACTIO PRODUCTS WITH 3,3'-IMINODI(PROPYLAMINE 1,3-CYCLOHEXANEDIMETHANAMINE), 8, II

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/ legislation specific for the substance or mixture

No further relevant information available.

(Contd. on page 10)





Printing date 17.11.2021 Version number 13 Revision: 18.10.2021

Trade name BRAWO RR - Komponente B

(Contd. of page 9)

· 15.2 Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

· Relevant phrases H302 Harmful if swallowed. H311 Toxic in contact with skin.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H332 Harmful if inhaled.

H361d Suspected of damaging the unborn child.

H361fd Suspected of damaging fertility. Suspected of damaging

the unborn child.

H372 Causes damage to organs through prolonged or repeated

exposure.

H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

· Department issuing data specification sheet:

Environment protection department.

· Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International

Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous

Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity - Category 4 Acute Tox. 3: Acute toxicity - Category 3

Skin Corr. 1A: Skin corrosion/irritation - Category 1A Skin Corr. 1B: Skin corrosion/irritation - Category 1B Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Skin Sens. 1: Skin sensitisation - Category 1 Skin Sens. 1B: Skin sensitisation - Category 1B Repr. 2: Reproductive toxicity - Category 2 Repr. 2: Reproductive toxicity - Category 2

STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic

hazard – Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic

hazard - Category 3

* * Data compared to the previous version altered.