



Printing date 09.02.2024 Version number 41 (replaces version 40) Revision: 09.02.2024

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name BRAWO-I - Komponente A

1.2 Relevant identified uses of the substance or mixture and uses advised against

• Sector of Use SU22 Professional uses: Public domain (administration,

education, entertainment, services, craftsmen)

· Application of the substance

/ the mixture Epoxy sealing

· 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: BRAWO SYSTEMS GmbH

Blechhammerweg 13-17 67659 Kaiserslautern Deutschland/Germany

Tel: +49(0)631-205 61 100

Informing department: Technische Abteilung

msds@brawoliner.de

1.4 Emergency telephone

**number:** +49 (0) 61 31 - 19 240 (Giftnotruf Mainz)

#### SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

· 2.2 Label elements

Labelling according to

**Regulation (EC) No 1272/2008** The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms





GHS07 GHS09

· Signal word Warning

Hazard-determining

components of labelling: epoxide derivates

Reaction mass of 2,2'-[methylenebis(4,1-phenyleneoxymethylene)] dioxirane and 2-({2-[4-(oxiran-2-ylmethoxy)benzyl]phenoxy}methyl) oxirane and 2,2'-[methylenebis(2,1-phenyleneoxymethylene)]

dioxirane

Reaction products of hexane-1,6-diol with 2-(chloromethyl)oxirane

(1:2)

maleic anhydride

oxirane, mono[(C12-14-alkyloxy)methyl] derivs

· Hazard statements H315 Causes skin irritation.

(Contd. on page 2)





Printing date 09.02.2024 Version number 41 (replaces version 40) Revision: 09.02.2024

#### Trade name BRAWO-I - Komponente A

(Contd. of page 1)

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements P101 If medical advice is needed, have product

container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P261 Avoid breathing dust/fume/gas/mist/vapours/

spray.

P273 Avoid release to the environment.

P280 Wear protective gloves / eye protection / face

protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for

several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P333+P313 If skin irritation or rash occurs: Get medical

advice/attention.

P501 Dispose of contents/container in accordance

with local/regional/national/international

regulations.

· Additional information: EUH205 Contains epoxy constituents. May produce an allergic

reaction.

EUH401 To avoid risks to human health and the environment,

comply with the instructions for use.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

#### SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

• **Description:** Mixture consisting of the following components.

· Dangerous components:			
CAS: 1675-54-3	epoxide derivates	60-80%	
EINECS: 216-823-5	Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317, EUH205		
CAS: 9003-36-5 EC number: 701-263-0	ylmethoxy)benzyl]phenoxy}methyl)oxirane and 2,2'- [methylenebis(2,1-phenyleneoxymethylene)]dioxirane	≥10-<25%	
	Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Skin Sens. 1, H317		
CAS: 933999-84-9	Reaction products of hexane-1,6-diol with 2-(chloromethyl) oxirane (1:2)	≥2.5-<10%	
	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; Aquatic Chronic 3, H412		
		contd. on page 3)	

(Contd. on page 3)





Printing date 09.02.2024 Version number 41 (replaces version 40) Revision: 09.02.2024

#### Trade name BRAWO-I - Komponente A

	(I	Contd. of page 2)
CAS: 68609-97-2	oxirane, mono[(C12-14-alkyloxy)methyl] derivs	≥0.1-<0.5%
EINECS: 271-846-8	Skin Irrit. 2, H315; Skin Sens. 1, H317, EUH205	
CAS: 108-31-6	maleic anhydride	<0.001%
EINECS: 203-571-6	Resp. Sens. 1, H334; STOT RE 1, H372; Skin Corr. 1B, H314; Eye Dam. 1, H318; Acute Tox. 4, H302; Skin Sens. 1A, H317, EUH071	
	Specific concentration limit: Skin Sens. 1A; H317: C ≥ 0.001 %	
· Additional information	For the wording of the listed hazard phrases refer to s	ection 16.

### **SECTION 4: First aid measures**

· 4.1 Description of first aid measures

· After inhalation Supply fresh air and call for doctor for safety reasons.

In case of unconsciousness bring patient into stable side position

for transport.

· After skin contact Instantly wash with water and soap and rinse thoroughly.

· After eye contact Seek medical treatment.

Rinse opened eye for several minutes under running water. If

symptoms persist, consult doctor.

• After swallowing Rinse out mouth and then drink plenty of water.

Seek medical treatment.

### SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· Suitable extinguishing agents Use fire fighting measures that suit the environment.

• 5.2 Special hazards arising from the substance or

mixture No further relevant information available.

· 5.3 Advice for firefighters

· Protective equipment: No special measures required.

## SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and

**emergency procedures** Not required.

6.2 Environmental

precautions: Inform respective authorities in case product reaches water or

sewage system.

· 6.3 Methods and material for

containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders,

universal binders, sawdust).

· 6.4 Reference to other

sections See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

(Contd. on page 4)





Printing date 09.02.2024 Version number 41 (replaces version 40) Revision: 09.02.2024

Trade name BRAWO-I - Komponente A

(Contd. of page 3)

See Section 13 for information on disposal.

### **SECTION 7: Handling and storage**

· 7.1 Precautions for safe

handling Store in cool, dry place in tightly closed containers.

Open and handle container with care.

· Information about protection

against explosions and fires: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

Storage

· Requirements to be met by

storerooms and containers: No special requirements.

· Information about storage in

one common storage facility: Not required.

· Further information about

**storage conditions:** Keep container tightly sealed.

Storage class 10

#### SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Components with critical values that require monitoring at the workplace:

CAS: 108-31-6 maleic anhydride

WEL | Short-term value: 3 mg/m³

Long-term value: 1 mg/m3

Sen

· DNELs

CAS: 68609-97-2 oxirane, mono[(C12-14-alkyloxy)methyl] derivs

Oral DNEL 1 mg/kg bw/Tag (ArL)
Dermal DNEL 1.7 mg/kg bw/day (ArL)
Inhalative DNEL 0.98 mg/m³ (ArL)

· PNECs

CAS: 68609-97-2 oxirane, mono[(C12-14-alkyloxy)methyl] derivs

PNEC 0.00072 mg/l (Mew)

0.0072 mg/l (Freshwater)

PNEC 80.12 mg/kg dwt (Bod)

6.677 mg/kg dwt (Sediment)

66.77 mg/kg dwt (Fresh water sediment)

· Additional information: The lists that were valid during the compilation were used as basis.

· 8.2 Exposure controls

Appropriate engineering

controls No further data; see section 7.

· Individual protection measures, such as personal protective equipment

· General protective and

hygienic measures Keep away from foodstuffs, beverages and food.

(Contd. on page 5)





Printing date 09.02.2024 Version number 41 (replaces version 40) Revision: 09.02.2024

#### Trade name BRAWO-I - Komponente A

(Contd. of page 4)

Instantly remove any soiled and impregnated garments. Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

· Hand protection Protective gloves.

Selection of the glove material on consideration of the penetration

times, rates of diffusion and the degradation

After use of gloves apply skin-cleaning agents and skin cosmetics.

• Material of gloves

The selection of the suitable gloves does not only depend on the

material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the

application.

· Penetration time of glove

material

The exact breakthrough time must be obtained from the protective

glove manufacturer and must be observed.

· Eye/face protection

Not required.

Body protection: Protective work clothing.

### **SECTION 9: Physical and chemical properties**

· 9.1 Information on basic physical and chemical properties

· General Information

· Colour: Green

Smell: Characteristic
 Melting point/freezing point: Not determined

· Boiling point or initial boiling point and

boiling range 200 °C
Flash point: 149 °C
Auto-ignition temperature: 184 °C

· **pH** Not applicable. Not determined.

· Viscosity:

· Kinematic viscosity
· dynamic:

Not determined.

Not determined.

·Solubility

· Water: Not miscible or difficult to mix

· Steam pressure at 20 °C: 0.1 hPa

· Density and/or relative density

Density at 20 °C 1.14 g/cm<sup>3</sup>

· 9.2 Other information

· Appearance:

Form: Viscous

· Important information on protection of health

and environment, and on safety.

• Self-inflammability: Product is not selfigniting. Explosive properties: Product is not explosive.

· Information with regard to physical hazard

classes

• Explosives Void

(Contd. on page 6)





Printing date 09.02.2024 Version number 41 (replaces version 40) Revision: 09.02.2024

#### Trade name BRAWO-I - Komponente A

		(Contd. of page 5)
· Flammable gases	Void	
· Aerosols	Void	
· Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
· Self-reactive substances and mixtures	Void	
· Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
· Substances and mixtures, which emit		
flammable gases in contact with water	Void	
· Oxidising liquids	Void	
Oxidising solids	Void	
· Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

## **SECTION 10: Stability and reactivity**

• 10.1 Reactivity No further relevant information available.

10.2 Chemical stability
Thermal decomposition /

conditions to be avoided: No decomposition if used according to specifications.

· 10.3 Possibility of hazardous

reactions No dangerous reactions known

• 10.4 Conditions to avoid No further relevant information available. • 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous

decomposition products: No dangerous decomposition products known

## **SECTION 11: Toxicological information**

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values	that are rele	vant for c	lassification:

CAS: 1675-54-3 epoxide derivates

Dermal | LD50 | 23000 mg/kg (rabbit)

CAS: 9003-36-5 Reaction mass of 2,2'-[methylenebis(4,1-phenyleneoxymethylene)]dioxirane and 2-({2-[4-(oxiran-2-ylmethoxy)benzyl]phenoxy}methyl)oxirane and 2,2'[methylenebis(2,1-phenyleneoxymethylene)]dioxirane

Oral LD50 >2000 mg/kg (rat)

Dermal LD50 >2000 mg/kg (rabbit)

CAS: 68609-97-2 oxirane, mono[(C12-14-alkyloxy)methyl] derivs

Oral LD50 17100 mg/kg (rat)

CAS: 108-31-6 maleic anhydride

Oral LD50 1090 mg/kg (rat)
Dermal LD50 2620 mg/kg (rat)

(Contd. on page 7)





Printing date 09.02.2024 Version number 41 (replaces version 40) Revision: 09.02.2024

#### Trade name BRAWO-I - Komponente A

(Contd. of page 6)

• Skin corrosion/irritation Causes skin irritation.
• Serious eye damage/irritation Causes serious eye irritation.

· Respiratory or skin

**sensitisation** May cause an allergic skin reaction.

Carcinogenicity
Reproductive toxicity
STOT-single exposure
STOT-repeated exposure
Aspiration hazard

Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

CAS: 128-37-0 | 2,6-Di-tert-butyl-p-cresol | List II

## **SECTION 12: Ecological information**

#### · 12.1 Toxicity

· Aquatic toxicity:	
---------------------	--

CAS: 1675-54-3 epoxide derivates

IC50 >42.6 mg/l (Bak)

LC50/96h 2 mg/l (Oncorhynchus mykiss) EC50/48h 1.8 mg/l (Daphnia magna)

ErC50/72h | 11 mg/l (Selenastrum capricornutum)

CAS: 9003-36-5 Reaction mass of 2,2'-[methylenebis(4,1-phenyleneoxymethylene)]dioxirane and 2-({2-[4-(oxiran-2-ylmethoxy)benzyl]phenoxy}methyl)oxirane and 2,2'-[methylenebis(2,1-phenyleneoxymethylene)]dioxirane

LC50/96h >100 mg/l (Daphnia magna) EC50/96h >100 mg/l (Leucidus idus)

CAS: 68609-97-2 oxirane, mono[(C12-14-alkyloxy)methyl] derivs

EbC50/72h 843 mg/l (Pseudokirchneriella subcapitata)

LC50/96h >5000 mg/l (Oncorhynchus mykiss)

1800 mg/l (Lepomis macrochirus)

EC50 >100 mg/l (BEL)

NOEC 500 mg/l (Pseudokirchneriella subcapitata)

12.2 Persistence and

degradability No further relevant information available.

· 12.3 Bioaccumulative

potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

· 12.5 Results of PBT and vPvB assessment · PBT: Not applicable. · vPvB: Not applicable.

· 12.6 Endocrine disrupting

properties For information on endocrine disrupting properties see section 11.

· 12.7 Other adverse effects

· Remark: Toxic for fish

(Contd. on page 8)





Printing date 09.02.2024 Version number 41 (replaces version 40) Revision: 09.02.2024

### Trade name BRAWO-I - Komponente A

· Additional ecological information:

(Contd. of page 7)

• General notes: Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

Do not allow product to reach ground water, water bodies or

sewage system.

Danger to drinking water if even small quantities leak into soil.

### **SECTION 13: Disposal considerations**

· 13.1 Waste treatment methods

• Recommendation Must not be disposed of together with household garbage. Do not

allow product to reach sewage system.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

14.1 UN number or ID number	
ADR, IMDG, IATA	UN3082
14.2 UN proper shipping name	
ADR, IATA	ENVIRONMENTALLY HAZARDOU SUBSTANCE, LIQUID, N.O.S. (epoxide derivates)
IMDG	ENVIRONMENTALLY HAZARDOÚ SUBSTANCE, LIQUID, N.O.S. (epoxide derivates MARINE POLLUTANT
14.3 Transport hazard class(es)	
ADR	
Class	9 (M6) Miscellaneous dangerous substances ar articles.
Label	9
IMDG, IATA	
Class	9 Miscellaneous dangerous substances an articles.
Label	9
14.4 Packing group	
ADR, IMDG, IATA	III
14.5 Environmental hazards:	
Marine pollutant:	Yes
Consist marking (ADD):	Symbol (fish and tree)
Special marking (ADR): Special marking (IATA):	Symbol (fish and tree) Symbol (fish and tree)
	, ,
14.6 Special precautions for user	Warning: Miscellaneous dangerous substances ar articles.
Kemler Number:	90
EMS Number:	F-A,S-F





Printing date 09.02.2024

Version number 41 (replaces version 40)

Revision: 09.02.2024

#### Trade name BRAWO-I - Komponente A

	(Contd. of page
· Stowage Category	A
· 14.7 Maritime transport in bulk accord IMO instruments	<b>ling to</b> Not applicable.
· Transport/Additional information:	
· ADR · Limited quantities (LQ) · Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
Transport category Tunnel restriction code	3 (-)
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 100 ml
· UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOU SUBSTANCE, LIQUID, N.O.S. (EPOXID DERIVATES), 9, III

### **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Poisons Act
- · Regulated explosives precursors

None of the ingredients is listed.

· Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

· Reportable poisons

None of the ingredients is listed.

- · Directive 2012/18/EU
- · Qualifying quantity (tonnes) for the application of lower-

tier requirements

Qualifying quantity (tonnes) for the application of upper-

tier requirements

200 t

500 t

(Contd. on page 10)





Printing date 09.02.2024 Version number 41 (replaces version 40) Revision: 09.02.2024

Trade name BRAWO-I - Komponente A

(Contd. of page 9)

· 15.2 Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

· Relevant phrases	H302	Harmful if swallowed.
--------------------	------	-----------------------

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms or breathing

difficulties if inhaled.

H372 Causes damage to organs through prolonged or repeated

exposure.

H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

EUH205 Contains epoxy constituents. May produce an allergic

reaction.

· Department issuing data specification sheet:

Environment protection department.

· Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International

Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous

Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity - Category 4

Skin Corr. 1B: Skin corrosion/irritation - Category 1B Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Resp. Sens. 1: Respiratory sensitisation - Category 1 Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1A: Skin sensitisation - Category 1A

STOT RE 1: Specific target organ toxicity (repeated exposure) - Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic

hazard – Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic

hazard - Category 3

\* \* Data compared to the previous version altered.